53	90	95	100	PWA
Performance	Accessibility	Best Practices	SEO	PWA

53

Performance

Values are estimated and may vary. The performance score is calculated directly from these metrics. See calculator.

▲ 0–49   ■ 50–89   ● 90–100

METRICS

Expand view

■ First Contentful Paint	▲ Largest Contentful Paint
2.9 s	**6.6 s**
▲ Total Blocking Time	● Cumulative Layout Shift
670 ms	**0.003**
■ Speed Index	
4.5 s	

⊞ View Treemap

Show audits relevant to: **All** FCP LCP TBT CLS

OPPORTUNITIES

Opportunity		Estimated Savings
▲ Reduce unused JavaScript	▬▬▬▬▬▬▬	1.93s ⌄
▲ Eliminate render-blocking resources	▬▬▬▬▬▬	1.68s ⌄
▲ Serve images in next-gen formats	▬▬▬▬	1.04s ⌄
◼ Reduce unused CSS	▬	0.25s ⌄

These suggestions can help your page load faster. They don't [directly affect](#) the Performance score.

DIAGNOSTICS

▲ Ensure text remains visible during webfont load	⌄
▲ Reduce the impact of third-party code — Third-party code blocked the main thread for 1,000 ms	⌄
▲ Does not use passive listeners to improve scrolling performance	⌄
▲ Minimize main-thread work — 4.8 s	⌄
◼ Reduce JavaScript execution time — 2.9 s	⌄
◯ Avoid chaining critical requests — 49 chains found	⌄
◯ Largest Contentful Paint element — 6,580 ms	⌄
◯ Avoid large layout shifts — 1 element found	⌄
◯ Avoid long main-thread tasks — 20 long tasks found	⌄
◯ Avoid non-composited animations — 2 animated elements found	⌄

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

90

Accessibility

These checks highlight opportunities to improve the accessibility of your web app. Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so manual testing is also encouraged.

BEST PRACTICES

⚠ `[user-scalable="no"]` is used in the `<meta name="viewport">` element or the `[maximum-scale]` attribute is less than 5.

These items highlight common accessibility best practices.

NAVIGATION

⚠ Some elements have a `[tabindex]` value greater than 0

⚠ Heading elements are not in a sequentially-descending order

These are opportunities to improve keyboard navigation in your application.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)   Show

These items address areas which an automated testing tool cannot cover. Learn more in our guide on conducting an accessibility review.

95

Best Practices

GENERAL

⚠ Browser errors were logged to the console   ⌄

○ Detected JavaScript libraries   ⌄

TRUST AND SAFETY

○ Ensure CSP is effective against XSS attacks   ⌄

PASSED AUDITS (12)   Show

NOT APPLICABLE (1)   Show

100

SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on Core Web Vitals. Learn more about Google Search Essentials.

ADDITIONAL ITEMS TO MANUALLY CHECK (1)   Show

Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (14)   Show

PWA

These checks validate the aspects of a Progressive Web App. Learn what makes a good Progressive Web App.

⊕ INSTALLABLE

▲ Web app manifest or service worker do not meet the installability requirements — 1 reason ⌄

★ PWA OPTIMIZED

▲ Is not configured for a custom splash screen Failures: No manifest was fetched. ⌄

▲ Does not set a theme color for the address bar.
   Failures: No manifest was fetched, No `<meta name="theme-color">` tag found. ⌄

● Content is sized correctly for the viewport ⌄

● Has a `<meta name="viewport">` tag with `width` or `initial-scale` ⌄

▲ Manifest doesn't have a maskable icon No manifest was fetched ⌄

ADDITIONAL ITEMS TO MANUALLY CHECK (3)   Show

These checks are required by the baseline [PWA Checklist](#) but are not automatically checked by Lighthouse. They do not affect your score but it's important that you verify them manually.

54	90	95	100	PWA
Performance	Accessibility	Best Practices	SEO	PWA

54

Performance

Values are estimated and may vary. The performance score is calculated directly from these metrics. See calculator.

▲ 0–49   ■ 50–89   ● 90–100

RL ASESORÍA INFORMÁTICA

Equipos Informáticos

Servicio técnico informático

Para ofrecer las mejores experiencias, utilizamos tecnologías como las cookies para almacenar y/o acceder a la información del dispositivo. El consentimiento de estas tecnologías nos permitirá procesar datos como el comportamiento de navegación o las identificaciones únicas en este sitio. No consentir o retirar el consentimiento, puede afectar negativamente a ciertas características y funciones.

Aceptar

Denegar

Ver preferencias

Política de Cookies   Política de privacidad   Aviso Legal

METRICS

Expand view

■ First Contentful Paint	▲ Largest Contentful Paint
2.8 s	6.8 s
■ Total Blocking Time	■ Cumulative Layout Shift
520 ms	0.118
■ Speed Index	
3.6 s	

⊞ View Treemap

Show audits relevant to: **All** FCP LCP TBT CLS

OPPORTUNITIES

Opportunity	Estimated Savings
▲ Reduce unused JavaScript	2.60s ⌄
▲ Eliminate render-blocking resources	1.67s ⌄
▮ Reduce unused CSS	0.50s ⌄
▮ Serve images in next-gen formats	0.48s ⌄

These suggestions can help your page load faster. They don't directly affect the Performance score.

DIAGNOSTICS

▲ Ensure text remains visible during webfont load	⌄
▲ Reduce the impact of third-party code — Third-party code blocked the main thread for 840 ms	⌄
▲ Does not use passive listeners to improve scrolling performance	⌄
▲ Minimize main-thread work — 4.1 s	⌄
▮ Reduce JavaScript execution time — 2.5 s	⌄
○ Avoid chaining critical requests — 46 chains found	⌄
○ Largest Contentful Paint element — 6,790 ms	⌄
○ Avoid large layout shifts — 2 elements found	⌄
○ Avoid long main-thread tasks — 19 long tasks found	⌄
○ Avoid non-composited animations — 2 animated elements found	⌄

More information about the performance of your application. These numbers don't directly affect the Performance score.

90

Accessibility

These checks highlight opportunities to improve the accessibility of your web app. Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so manual testing is also encouraged.

BEST PRACTICES

▲ `[user-scalable="no"]` is used in the `<meta name="viewport">` element or the `[maximum-scale]` attribute is less than 5. ⌄

These items highlight common accessibility best practices.

NAVIGATION

▲ Some elements have a `[tabindex]` value greater than 0 ⌄

These are opportunities to improve keyboard navigation in your application.

NAMES AND LABELS

▲ Skip links are not focusable. ⌄

These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)   Show

These items address areas which an automated testing tool cannot cover. Learn more in our guide on conducting an accessibility review.

PASSED AUDITS (24)   Show

NOT APPLICABLE (34)   Show

95

Best Practices

GENERAL

▲ Browser errors were logged to the console   ⌄

○ Detected JavaScript libraries   ⌄

TRUST AND SAFETY

○ Ensure CSP is effective against XSS attacks   ⌄

PASSED AUDITS (12)   Show

NOT APPLICABLE (1)   Show

100

SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on Core Web Vitals. Learn more about Google Search Essentials.

ADDITIONAL ITEMS TO MANUALLY CHECK (1)   Show

Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (14)   Show

PWA
—

PWA

These checks validate the aspects of a Progressive Web App. Learn what makes a good Progressive Web App.

⊕ **INSTALLABLE**

▲ Web app manifest or service worker do not meet the installability requirements — 1 reason   ⌄

★ **PWA OPTIMIZED**

▲ Is not configured for a custom splash screen Failures: No manifest was fetched.   ⌄

▲ **Does not set a theme color for the address bar.**

    Failures: No manifest was fetched, No `<meta name="theme-color">` tag found.

⌄

🟢 Content is sized correctly for the viewport

⌄

🟢 Has a `<meta name="viewport">` tag with `width` or `initial-scale`

⌄

▲ Manifest doesn't have a maskable icon No manifest was fetched

⌄

ADDITIONAL ITEMS TO MANUALLY CHECK (3)   Show

These checks are required by the baseline [PWA Checklist](#) but are not automatically checked by Lighthouse. They do not affect your score but it's important that you verify them manually.

50	81	91	100	PWA
Performance	Accessibility	Best Practices	SEO	PWA

50

Performance

Values are estimated and may vary. The performance score is calculated directly from these metrics. See calculator.

▲ 0–49   ■ 50–89   ● 90–100

METRICS   Expand view

■ First Contentful Paint	▲ Largest Contentful Paint
2.9 s	**9.8 s**

▲ Total Blocking Time	● Cumulative Layout Shift
700 ms	**0.013**

■ Speed Index	
4.6 s	

⊞ View Treemap

Show audits relevant to: **All** FCP LCP TBT CLS

OPPORTUNITIES

Opportunity		Estimated Savings
▲ Reduce unused JavaScript	━━━━━━━	2.70s ⌄
▲ Eliminate render-blocking resources	━━━━━━	1.85s ⌄
▲ Preload Largest Contentful Paint image	━━━━	1.36s ⌄
▮ Serve images in next-gen formats	━━	0.90s ⌄
▮ Reduce unused CSS	━	0.37s ⌄

These suggestions can help your page load faster. They don't [directly affect](#) the Performance score.

DIAGNOSTICS

▲ Ensure text remains visible during webfont load	⌄
▲ Reduce the impact of third-party code — Third-party code blocked the main thread for 1,140 ms	⌄
▲ Does not use passive listeners to improve scrolling performance	⌄
▲ Minimize main-thread work — 5.7 s	⌄
▮ Reduce JavaScript execution time — 3.1 s	⌄
○ Avoid chaining critical requests — 51 chains found	⌄
○ Largest Contentful Paint element — 9,830 ms	⌄
○ Avoid large layout shifts — 5 elements found	⌄
○ Avoid long main-thread tasks — 20 long tasks found	⌄
○ Avoid non-composited animations — 2 animated elements found	⌄

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (22)   Show

81

Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

BEST PRACTICES

⚠ `[user-scalable="no"]` is used in the `<meta name="viewport">` element or the `[maximum-scale]` attribute is less than 5.   ⌄

These items highlight common accessibility best practices.

ARIA

⚠ `button`, `link`, and `menuitem` elements do not have accessible names.   ⌄

These are opportunities to improve the usage of ARIA in your application which may enhance the experience for users of assistive technology, like a screen reader.

NAMES AND LABELS

⚠ Form elements do not have associated labels   ⌄

⚠ Links do not have a discernible name   ⌄

⚠ Skip links are not focusable.   ⌄

These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

NAVIGATION

⚠ Some elements have a `[tabindex]` value greater than 0 ⌄

⚠ Heading elements are not in a sequentially-descending order ⌄

These are opportunities to improve keyboard navigation in your application.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)   Show

These items address areas which an automated testing tool cannot cover. Learn more in our guide on conducting an accessibility review.

PASSED AUDITS (25)   Show

NOT APPLICABLE (29)   Show

91

Best Practices

USER EXPERIENCE

⚠ Serves images with low resolution ⌄

GENERAL

⚠ Browser errors were logged to the console ⌄

○ Detected JavaScript libraries   ⌄

TRUST AND SAFETY

○ Ensure CSP is effective against XSS attacks   ⌄

PASSED AUDITS (11)   Show

NOT APPLICABLE (1)   Show

100

SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on Core Web Vitals. Learn more about Google Search Essentials.

ADDITIONAL ITEMS TO MANUALLY CHECK (1)   Show

Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (14)   Show

PWA

These checks validate the aspects of a Progressive Web App. [Learn what makes a good Progressive Web App](#).

⊕ INSTALLABLE

▲ Web app manifest or service worker do not meet the installability requirements — 1 reason ⌄

★ PWA OPTIMIZED

▲ Is not configured for a custom splash screen Failures: No manifest was fetched. ⌄

▲ Does not set a theme color for the address bar.

Failures: No manifest was fetched, No `<meta name="theme-color">` tag found. ⌄

● Content is sized correctly for the viewport ⌄

● Has a `<meta name="viewport">` tag with `width` or `initial-scale` ⌄

▲ Manifest doesn't have a maskable icon No manifest was fetched ⌄

ADDITIONAL ITEMS TO MANUALLY CHECK (3)   Show

These checks are required by the baseline [PWA Checklist](#) but are not automatically checked by Lighthouse. They do not affect your score but it's important that you verify them manually.